


STAIRWAY ILLUMINATION: ALL EXTERIOR STAIRWAYS
SHALL BE ILLUMINATED AT THE TOP LANDING TO
THE STAIRWAY. ILLUMINATION SHALL BE CONTROLLED
FROM INSIDE THE DWELLING OR AUTOMATICALLY
ACTIVATED.

DISCLAIMER: THIS PLAN IS NOT CONSIDERED COMPLETE UNLESS APPROVED BY YOUR LOCAL BUILDING INSPECTOR OR STRUCTURAL ENGINEER. BUILDER ACCEPTS ALL RESPONSIBILITY AND LIABILITY. DECKS.COM LLC, AND ASSOCIATED SPONSORS ACCEPT NO LIABILITY FOR THE USE OF THIS PLAN.



12" DIAMETER FOOTING

 \boxtimes

16" DIAMETER FOOTING

FROST FOOTINGS SIZES BASED ON 55 LB PER SQUARE FOOT TRIBUTARY LOADS APPLIED TO 1500 PSI SOIL COMPRESSION CAPACITY (ASSUMED CLAY SOIL)

BUILDING ORDINANCE

22" DIAMETER FOOTING

SEE FOOTING DETAIL IN DECK CONSTRUCTION GUIDE.

FOOTINGS TO BE INSTALLED TO PROPER DEPTH AS IS REQUIRED BY YOUR LOCAL

DISCLAIMER: ONLY USE #2 OR BETTER PRESSURE TREATED

SOUTHERN YELLOW PINE 2 x 10 FOR FRAMING MATERIALS

NEVER SUBSTITUTE COMPOSITE OR SOFTWOODS FOR FRAMING MATERIALS

OR EQUIVALENT FASTENERS INE TREATED NAILED
OPENINGS PER IRC CODE (see rail detail)
RISE 4" MIN RUN 10" PER IRC CODE (see detail)
OW MANUFACTURERS INSTALLATION INSTRUCTIONS) BOLTS WITH WASHERS ARD TO BE FLASHED AND BOLTED (;
R DETAIL IN DECK CONSTRUCTION G
BE 2x10 SOUTHERN YELLOW PINE TI
BE 2-2x10 SOUTHERN YELLOW PINE
E 36" HIGH WITH LESS THAN 4" OF
BE BUILT MAX RISE 7 3/4" MIN RIS BE ဥ

1L047

PLAN

DECK

VIEW

PLAN

 \sim

