
(C) DECKS.COM LLC



VISIT DECKS.COM FOR MORE FREE DECK PLANS

decks.com

NAME

ADDRESS

PHONE

PERSPECTIVE

DECK PLAN 1LX2328

SOUTHERN YELLOW PINE 2 x DISCLAIMER: ONLY USE #2 NEVER SUBSTITUTE COMPOSI OR BETTER PRESSURE TREATED 10 FOR FRAMING MATERIALS Я Я SOFTWOODS FOR FRAMING MATERIALS



LEDGER BOARD TO BE FLASHED AND BOLTED (2) 1/2" BOLTS WITH WASHERS OR EQUIVALENT FASTENERS ____" O.C. (SEE LEDGER DETAIL IN DECK CONSTRUCTION GUIDE)

JOISTS TO BE 2x10 SOUTHERN YELLOW PINE TREATED 16" ON CENTER BEAMS TO BE 2-2x10 SOUTHERN YELLOW PINE TREATED NAILED

RAILS TO BE 36" HIGH WITH LESS THAN 4" OPENINGS PER IRC CODE (see rail detail) STAIRS TO BE BUILT MAX RISE 7 3/4" MIN RISE 4" MIN RUN 10" PER IRC CODE (see detail) __ (FOLLOW MANUFACTURERS INSTALLATION INSTRUCTIONS) DECKING TO BE _

28

ALL JOIST HANGERS TO BE CORROSION RESISTANT AND INSTALLED PER MANUFACTURERS INSTRUCTIONS

OVERHEAD PERGOLA

2

PLAN VIEW

DECK PLAN 1LX2328

SHALL BE ILLUMINATED AT THE TOP LANDING TO THE STAIRWAY. ILLUMINATION SHALL BE CONTROLLED FROM INSIDE THE DWELLING OR AUTOMATICALLY

ILLUMINATION: ALL EXTERIOR STAIRWAYS ILLUMINATED AT THE TOP LANDING TO

ACTIVATED.

STAIRWAY

THIS PLAN.

DECKS.COM LLC, AND ASSOCIATED SPONSORS ACCEPT NO LIABILITY FOR THE USE OF

DISCLAIMER: THIS PLAN IS NOT CONSIDERED COMPLETE UNLESS APPROVED BY YOUR LOCAL BUILDING INSPECTOR OR STRUCTURAL ENGINEER. BUILDER ACCEPTS ALL RESPONSIBILITY AND LIABILITY.

